

MULTIPLE CHOICE QUESTIONS BASED MOCK TEST FOR ONLINE EXAMINATION
FINAL YEAR B.PHARM (SEMESTER VIII) CBCS SYLLABUS
SUBJECT: PHYTOPHARMACEUTICAL TECHNOLOGY

SET 1

Q.1. The change brought by curcumin with P glycoproteins is

- a. Inhibition
- b. Inducer
- c. Metabolise
- d. suppress

Q.2. One of the following is not a property Of bioenhancers

- a. Should be bidirectional in action.
- b. Should be compatible with other active pharmaceutical ingredients.
- c. Should be stable with time and environment.
- d. Should be easily formulated into a various dosage form

Q.3. Cranberry is used for the following therapeutic indication

- a. Sedative
- b. Urinary Tract Infection
- c. Antiallergic
- d. Wound healing

Q.4. The precursor to chamazulene which has anti-inflammatory activity is

- a. Matricin
- b. Apigenin
- c. Alpha -bisabolol
- d. Alpha – bisabolol oxide

Q.5. One of the following is not the therapeutic application of Ginkgo

- a. used in Alzheimer's disease
- b. Used to treat excessive bleeding
- c. has antioxidant properties
- d. helps to control the transformation of cholesterol to plaque

Q.6. The constituent present in "Echinaceae" is

- a. Asarones
- b. Diterpenoids
- c. Flavonoids
- d. Alkamides

Q.7. One of the following is not correct about "Calamus"

- a. It belongs to araceae family
- b. The oil has antioxidant activity
- c. It has tranquilising properties
- d. It may cause malignant tumors of duodenum

Q.8. One of the following is not true about "Ginger"

- a. It is used in motion sickness
- b. Sesquiterpenes are the class of constituents present in it
- c. It improves blood circulation
- d. It inhibits cytochrome P450 enzymes

Q.9 Which is triterpenoid saponin sweetener?

- a. Glycyrrhizin
- b. Thaumatin
- c. Stevioside
- d. Brahmic acid

Q.10 Two of the following are the properties of apricot oil

- a. Treats psoriasis
- b. Produce bleaching action
- c. Helps in tissue regeneration
- d. Treats skin cancer

Q.11. One of the following is a crucial factor in the extraction of berberine

- a. Temperature
- b. Particle size
- c. Solubility
- d. Pressure

Q.12 Ginseng is indigenous to which country?

- a. China

- b. Japan
- c. Korea
- d. United states

Q.13. The most commonly used method for extracting pectin from plant tissue is by heating the plant sample in

- a. Alkaline water
- b. Pure water
- c. Acidified water
- d. Hydroalcoholic solution

Q.14. The sum total of the knowledge, skills, and practices based on the theories, beliefs, and experiences indigenous to different cultures is termed as

- a. Ethnomedicine
- b. Traditional medicine
- c. Phytomedicine
- d. Botanical medicine

Q.15. The skin lightening property of arbutin is due to its

- a. Moisturizing
- b. Removal of dead cells
- c. Tyrosine inhibitory
- d. Antioxidant

Q.16 One of the following is not true about Phytosomes

- a. Phytosomes have better stability
- b. Phytosomes have better solubility
- c. Phytosomes increases cutaneous absorption of drugs
- d. Phytosomes require large dose of drug to be entrapped

Q.17. Skin moisturizer constituent of Aloe vera

- a. Acemannan
- b. Aloe-emodin
- c. Barbaloin
- d. Rhein

Q.18 One of the following is not the property of TDDS

- a. Sustained and controlled delivery over a prolong period of time.

- b. Direct access to target or diseased site.
- c. Hepatic metabolism of drugs takes place
- d. Ease of dose termination

- Q.19 Which of the following equipment is used for concentration of extract ?
- a. Falling Film Evaporator
 - b. Decanters
 - c. Spray Drier
 - d. Freeze Drier
- Q. 20 The constituent responsible for colour in Bixa is
- a. Carthamin
 - b. Crocin
 - c. Bixin
 - d. Lycopene
- Q.21 Adjustment of phytopharmaceutical preparations to certain active substance is known as
- a. Standardization
 - b. Regulation
 - c. Quality Assurance
 - d. Quality Control
- Q. 22 Tinctures are examples of ----- herbal preparations
- a. Solid herbal preparations
 - b. Semisolid herbal preparations
 - c. Oily herbal preparations
 - d. Liquid herbal preparations
- Q.23 During extraction of Capsanthin the petroleum ether extract of capsicum powder is treated with 30% KOH solution because
- a. Solubility of Capsanthin is good in the solvent
 - b. To remove capsaicin
 - c. To get intense red colour
 - d. To remove tannins
- Q.24. Herb used for treatment of anxiety and seizures is
- a. Ephedra

- b. St. John's Wart
- c. Valerian
- d. Kava Kava

Q.25 The phytopharmaceutical approved for treatment of peptic ulcer

a. Ginger

- b. Garlic
- c. Ginkgo biloba
- d. Liquorice

Q.26 Which of the following is a type of countercurrent extractor

- a. Percolator
- b. Soxhlet Extractor
- c. Carosel Extractor
- d. Supercritical Fluid extractor

Q. 27 Determination of content of phytoconstituent in extract is known as

- a. Standardization
- b. Regulation
- c. Quality Assurance

Q.28 Highest natural sweetening agent

- a. Thaumatin
- b. Glycyrrhizin
- c. Stevioside
- d. saccharin

Q. 29 Which one of the following is used as dental filling material

- a. Neem
- b. Clove
- c. *Salvadora persica*
- d. Zinc Eugenate

Q.30 Which of the following is used as dental abrasive

- a. Clove
- b. *Salvadora*
- c. Ephedra
- d. Kava Kava

Q.31. Colouring constituent in *Onosma echioides* is

- a. Alizarin
- b. Alkanin and Shikonin
- c. Purpurin

- d. Colchicine
- Q.32 Commercial source of Citral is
- a. *Citrus auranti*
 - b. *Citrus limon*
 - c. *Cymbopogancitratus*
 - d. *Cymbopoganmaritinii*
- Q.33 Which drug is used for Adult diapers
- a. Valerian
 - b. Ephedra
 - c. Comfrey
 - d. Licorice
- Q.34 When senna is abused for the purpose of weight loss the following effect is predominantly observed
- a. Hypokalmeia
 - b. Hyponatrimia
 - c. Weight gain
 - d. Emesis
- Q.35 Botanical name of Butcher's broom?
- a. *Ruscus aculeatus*
 - b. *Cassia angustifolia*
 - c. *Berberis aristate*
 - d. *Lawsoniainermis*
- Q.36 Which part of Stevia to isolate sweetener?
- a. Root
 - b. Bark
 - c. Seed
 - d. leaf
- Q.37 Which of the following drug belonging to Solanaceae family?
- a. Tomato
 - b. Valerian
 - c. Chamomile
 - d. Ginseng
- Q.38 Which medicine is practiced by Non professional people?
- a. Traditional
 - b. Herbal
 - c. Ethno
 - d. Folklore
- Q.39 Ephedra, these days used for
- a. Asthma
 - b. Cancer
 - c. Weight loss

- d. Pain killer
- Q.40 TKDL is collaborative project between
 - a. AICTE & UGC
 - b. CSIR & AYUSH
 - c. AYUSH & DST
 - d. DST & CSIR
- Q.41 Botanical name of Kava Kava is
 - a. Ruscus aculeatus
 - b. Cassia angustifolia
 - c. Piper methysticum
 - d. Vaccinium macrocarpon
- Q.42 Coloring principle of Tea is
 - a. Alkaloid
 - b. Glycosides
 - c. Proteins
 - d. Tannins
- Q.43 Moisturizing property of Aloe is due to?
 - a. Mannans
 - b. Anthraquinones
 - c. Amino acids
 - d. Saponins
- Q.44 Curcumin is chemically?
 - a. Mannans
 - b. Diarylheptanoids
 - c. Hydroquinone
 - d. Poly phenol
- Q.45 Garlic is contraindicated with
 - a. Anticancer
 - b. Anticoagulant
 - c. Pain killer
 - d. Antifungal
- Q.46 Which drug is used for memory deficit?
 - a. Ginkgo biloba
 - b. Echinacea
 - c. Garlic
 - d. Kava Kava
- Q.47 Which is restricted drug due to toxicity?
 - a. Ginger
 - b. Garlic
 - c. Kava Kava
 - d. Liquorice

- Q.48 Botanical name of Rose hip?
- a. Rosa alba
 - b. Rosa canina
 - c. Rosa centifolia
 - d. Rosa gallica
- Q.49 Which drug is used for CVS health?
- a. Ephedra
 - b. Kava kava
 - c. Ginger
 - d. Tomato
- Q.50 Which is the constituent of Coriander oil?
- a. Mannans
 - b. Curcumin
 - c. Selenol
 - d. Lactone

**FINAL YEAR B.PHARM (SEMESTER VIII) CBCS SYLLABUS
SUBJECT: PHYTOPHARMACEUTICAL TECHNOLOGY**

SET 2

Q.1. What is the effect of Curcumin on P glycoproteins

- a. Inhibition
- b. Inducer
- c. Metabolise
- d. suppress

Q.2. Cranberry is used for the following therapeutic indication

- a. Sedative
- b. Urinary Tract Infection
- c. Antiallergic
- d. Wound healing

Q.3. The precursor to chamazulene which has anti-inflammatory activity is

- a. Matricin
- b. Apigenin
- c. Alpha -bisabolol

d. Alpha – bisabolol oxide

Q.4. The constituent present in “Echinaceae” is

- a. Asarones
- b. Diterpenoids
- c. Flavonoids
- d. Alkamides

Q.5 Write in ascending order with respect to industrial production of diosgenin

1. Germination on agar plates containing 0.5% sucrose
2. Seeds surface sterilised with sodium hypochlorite
3. Transferred onto solid $\frac{1}{2}$ medium WP3 containing 0.25 g/l cefotaxime and 1g/l ampicillin
4. Direct infection of the stems of 2 week old sterile plantlets with A. rhizogene
5. Elimination of bacteria, then inoculated into liquid media

- a. 1,2,3,4,5
- b. 2,1,4,3,5
- c. 1,3,2,4,5
- d. 2,1,3,4,5

Q.6 Two of the following are the properties of apricot oil

1. Reduces wrinkles
2. Produces bleaching action
3. Helps in tissue regeneration
4. Helps in treating pimples

- a. 1 and 2
- b. 2 and 3
- c. 2 and 4
- d. 1 and 3

Q.7. One of the following is a crucial factor in the extraction of berberine

- a. Temperature

- b. Particle size
- c. Solubility
- d. Pressure

Q.8. Two of the following are the constituent of Pectin which is responsible for its drug carrier property

1. Homogalactourans 2. Fructogalactourans 3. Arabinogalactourans 4. Rhamnogalactouran

- a. 1 and 2
- b. 2 and 4
- c. 1 and 4
- d. 2 and 3

Q.9. The most commonly used method for extracting pectin from plant tissue is by heating the plant sample in

- a. Alkaline water
- b. Pure water
- c. Acidified water
- d. Hydroalcoholic solution

Q.10. The sum total of the knowledge, skills, and practices based on the theories, beliefs, and experiences indigenous to different cultures is termed as

- a. Ethnomedicine
- b. Traditional medicine
- c. Phytomedicine
- d. Botanical medicine

Q.11. The skin lightening property of arbutin is due to its

- a. Moisturizing
- b. Removal of dead cells
- c. Tyrosine inhibitory
- d. Antioxidant

Q.12 One of the following is not true about Phytosomes

- a. Phytosomes have better stability
- b. Phytosomes have better solubility
- c. Phytosomes increases cutaneous absorption of drugs
- d. Phytosomes require large dose of drug to be entrapped

Q.13. Skin moisturizer constituent of Aloe vera

- a. Acemannan
- b. Aloe-emodin
- c. Barbaloin
- d. Rhein

Q.14 One of the following is not the property of TDDS

- a. Sustained and controlled delivery over a prolong period of time.
- b. Direct access to target or diseased site.
- c. Hepatic metabolism of drugs takes place
- d. Ease of dose termination

Q.15 Which of the following equipment is used for concentration of extract ?

- a. Falling Film Evaporator
- b. Decanters
- c. Spray Drier
- d. Freeze Drier

Q. 16 The constituent responsible for colour in Bixia is

- a. Carthamin
- b. Crocin
- c. Bixin
- d. Lycopene

Q.17 Adjustment of phytopharmaceutical preparations to certain active

substance is known as

- a. Standardization
- b. Regulation
- c. Quality Assurance
- d. Quality Control

Q. 18 Tinctures are examples of ----- herbal preparations

- a. Solid herbal preparations
- b. Semisolid herbal preparations
- c. Oily herbal preparations
- d. Liquid herbal preparations

Q.19 During extraction of Capsanthin the petroleum ether extract of capsicum powder is treated with 30% KOH solution because

- a. Solubility of Capsanthin is good in the solvent
- b. To remove capsaicin
- c. To get intense red colour
- d. To remove tannins

Q.20 Herb used for treatment of anxiety and seizures is

- a. Ephedra
- b. St. John's Wart
- c. Valerian
- d. Kava Kava

Q.21 The phytopharmaceutical approved for treatment of peptic ulcer

- a. Ginger
- b. Garlic
- c. Ginkgo biloba
- d. Liquorice