

Expt.13_Pharmacology-I. 22-23

Maharashtra Educational Society's Humera Khan College of Pharmacy

Course: Second Year B.Pharm Sem IV

Subject: Lab Pharmacology-I

Academic Year 22-23

* Indicates required question

1. Email *

2. Name *

3. Roll Number *

4. Class, Batch *

Mark only one oval.

S.Y.B.Pharm Div A Batch B 22-23

S.Y.B.Pharm Div B Batch D 22-23

MCQs

Each Question carries 1M

5. Parkinson's disease is not characterized by * 1 point

Mark only one oval.

- Clonus
- Bradykinesia
- Postural instability
- Tremors and Rigidity

6. The causes of Parkinson's disease are * 1 point

Mark only one oval.

- Loss of dopamine neurons
- Presence of Lewy Bodies
- Both

7. Catatonia is referred to as _____(Mark two options) * 1 point

Check all that apply.

- Parkinsonian like symptoms
- Extrapyrmidal activity
- Seizures
- Epilepsy symptoms

8. Anti-psychotic drugs which may induce extrapyramidal symptoms in patients * 1 point

Mark only one oval.

- haloperidol
- Paracetamol
- Biquinol
- Novastatin

9. _____ is used to induce catatonic symptoms in mice for testing anti-Parkinsonian drugs * 1 point

Mark only one oval.

- Pentylenetetrazol
- Perphenazine
- Scopolamine
- Phenytoin

10. The maximal catatonic score that can be achieved in the experiment on mice/rats * 1 point

Mark only one oval.

- 10
- 3.5
- 3
- 2

11. On a block of 3cm height, the ability of the rodent to withdraw the paw within _____ is considered. 0 for paw removal, 0.5 for paw retention on the block. * 1 point

Mark only one oval.

- 20s
- 5s
- 10s
- 15s

12. On a block of 9cm height, the ability of the rodent to withdraw the paw within _____ is considered. 0 for paw removal, 1 for paw retention on the block. * 1 point

Mark only one oval.

30 s

20 s

15s

10s

This content is neither created nor endorsed by Google.

Google Forms